

SHOWER GEL

RAW MATERIALS	% By Weight
Phase A:	
ANTIL 141 liquid	2.00
Perfume	1.00
Alpha-olefine sulphonate, sodium salt (37%)	35.00
Phase B:	
Water	41.85
Polymer JR 400	0.15
TEGO-Betain L7	20.00
Preserving agent, colouring	q.s.

## Preparation:

Mix A and B in the given order. Stir B into A. (To dissolve faster the Polymer JR 400, water can be heated slightly.)

## Formulation E 1.2.2

SHOWER GEL

RAW MATERIALS	% By Weight
Phase A:	
ANTIL 141 liquid	2.0
Perfume	1.0
Alpha-olefine sulphonate, sodium salt (37%)	35.0
Phase B:	
Water	40.5
TEGO-Betain L7	20.0
Merquat 550	1.5
Preserving agent, colouring	q.s.

## Preparation:

Mix A and B in the given order. Stir B into A.

## Formulation E 1.2.3

SOURCE: Goldschmidt Chemical Corp.: TEGO Surfactants:  
Suggested Formulations