

CREAMY MAKE-UP (2252-150-B)

RAW MATERIALS	% By Weight
A.	
TRISOLAN 1720 Lanolin Oil Blend	10.0
EMEREST 2310 Isopropyl Isostearate	5.0
EMEREST 2400 Glyceryl Stearate	2.5
EMERSOL 132 Stearic Acid	1.5
Propyl paraben	0.1
B.	
EMERESSENCE 1160 ROSE ETHER Phenoxyethanol	0.7
Butylene glycol	8.0
CMC 7LF (Cellulose Gum)	0.4
Methocel K 4M Premium (2% aqueous solution) (Hydroxypropyl Methycellulose)	10.0
Methyl paraben	0.2
Demineralized water	44.1
C.	
Zinc stearate	5.0
Titanium dioxide	2.5
D.	
25% pigment dispersion in ETHOXYOL 1707 Emulsifying Acetate Ester	10.0

This creamy make-up contains less oil than regular make-ups, plus oil blotters to help keep you shine-free for hours. It has a more even coverage than oil free make-ups and provides light moisture protection. ETHOXYOL 1707 is utilized as a pigment wetting agent in this formula.

## Procedure:

Heat A and B to 80C and add C. Agitate until homogenized. Preheat B to 60C and add to the AC mixture. Subject the ABC mix to a #3 Roller mill, then add D.

SOURCE: Emary Industries: EMERY Acetylated Lanolin Derivatives

PRESSED POWDER FOR FACE OR EYES (19D)

RAW MATERIALS	% By Weight
Low micron talc	60.0
Alpine talc	25.0
Zinc stearate	3.0
Kaolin	1.0
Iron oxide pigments	6.0
EMEREST 2310 Isopropyl Isostearate	5.0

SOURCE: Emary Chemicals: EMERY Isostearate Esters: Formulation  
19D