

FROSTED MOUSSE BLUSHER

MATERIALS	% W/W
Phase A:	
EMULSYNT GDL (Glyceryl Dilaurate)	2.00
CERASYNT 840 (PEG-20 Stearate)	1.00
Stearic Acid, XXX	5.00
Cetyl Alcohol	0.50
ESCALOL 507 (Octyl Dimethyl PABA)	2.00
CERAPHYL 140-A (Isodecyl Oleate)	4.00
Phase B:	
Water, deionized	49.90
Methocel K4M (Hydroxypropyl Methylcellulose)	0.10
Propylene Glycol	2.00
Titanium Dioxide #3328	4.29
LUSTRA-PEARL GLIMMER (Mica (and) Titanium Dioxide)	5.14
SPECTRA-PEARL RDW (Mica (and) Iron Oxide (and) Titanium Dioxide)	2.57
Phase C:	
Triethanolamine (85%)	0.50
Phase D:	
SD Alcohol 40	20.00
Germaben II (Propylene Glycol (and) Diazolidinyl Urea (and) Methylparaben (and) Propylparaben)	1.00

Procedure:

Disperse Methocel in water and heat to 80C. Add Propylene Glycol to water Phase, then slowly sprinkle in Pigments, mixing well. Combine Phase A and heat to 80C. Add Phase A to Phase B, then add Phase C. Cool to 45C and add Germaben II, then Alcohol. Cool to room temperature and fill.

Fill:

95% Concentrate and 5% Propellant A-46
Precision Valve 2X.020 Conical. Incereted with tailpiece
Foam Spout #02-1560

SOURCE: Van Dyk & Co., Inc.: Make-Up Formulary: Formulation
#F98-29-1