

SUPER GLOSS LIPSTICK (2244-121-01)

RAW MATERIALS	% By Weight
LANTROL 1673 Lanolin Oil	10.0
Carnauba wax	5.0
Ozokerite, 180F	3.5
Multiwax 180M	2.5
Steareth-2	6.5
Mineral oil (70 visc.)	7.5
Tenox 2	0.2
Beeswax	8.0
25% D&C Red #7 Calcium Lake milled in EMEREST 2452 Polyglyceryl-3 Diisostearate	15.0
25% D&C Red #6 Barium Lake milled in EMEREST 2452 Polyglyceryl-3 Diisostearate	25.0
EMEREST 1723 Isopropyl Lanolate	10.0
Candellila wax	5.0
Perfume	1.8

This lipstick imparts a soft and creamy feel on the lips.

## Procedure:

Heat all ingredients except perfume to 85-90C. Mix gently and cool to 75C. Perfume, deaerate, and pour into molds. Chill and remove from molds. Flame polish.

SUPER GLOSS LIPSTICK (MS-322)

RAW MATERIALS	% By Weight
LANTROL 1673 Lanolin Oil	43.5
Carnauba wax	1.5
Ozokerite, 170F	6.5
Beeswax	2.5
PROPOXYOL 1695 PPG-5 Lanolin Wax	10.0
Candellila wax	8.0
Oleyl alcohol	10.0
Mineral oil (355 visc.)	5.0
Tenox 4	0.1
Propyl paraben	0.1
25% pigments in LANTROL 1673 Lanolin Oil	10.0
Pearlwhite	2.5
Perfume	0.3

This formula imparts a nice, emollient feel to the lips. It has excellent pigment release.

## Procedure:

Combine all but the last two ingredients and heat to 85C. Stir until all waxes are melted. Add pearl and perfume; mix until homogeneous and pour into molds.

SOURCE: Emery Chemicals: LANTROL Lanolin Oil: Formulations