

PRESSED EYE SHADOW

INGREDIENTS	%W/W
Phase A:	
Talc 141	32.75
Zinc Stearate	5.00
Germall 115 (Imidazolidinyl Urea)	0.15
Phase B:	
SPECTRA-PEARL GNG (Mica (and) Chromium Oxide Greens (and) Titanium Dioxide)	50.00
Phase C:	
CERAPHYL 847 (Octyldodecyl Stearoyl Stearate)	12.00
Methylparaben	0.10

Procedure:

Mix Phase A in a P-K blender. Add Phase B to it and mix thoroughly. Heat Phase C separately until clear, cool to room temperature. Add Phase C to Phase "AB" through liquid injector intensifier bar and mix until uniform. Press the blend and package.

Formulation #P110-28

PRESSED EYE SHADOW/BLUSH

INGREDIENTS	%W/W
Phase A:	
Talc 141	32.75
Zinc Stearate	5.00
Germall 115 (Imidazolidinyl Urea)	0.15
Phase B:	
SPECTRA-PEARL MTW (Mica (and) Titanium Dioxide (and) Carmine)	50.00
Phase C:	
CERAPHYL 847 (Octyldodecyl Stearoyl Stearate)	12.00
Methylparaben	0.10

Procedure:

Mix Phase A in P-K blender. Add Phase B to it and mix thoroughly. Heat Phase C separately until clear, cool to room temperature. Add Phase C to Phase "AB" through liquid injector intensifier bar and mix until uniform. Press the blend and package.

Formulation #P110-29

SOURCE: Van Dyk & Co., Inc.: Make-Up Formulary: Suggested Formulations