

SKIN CLEANSER

RAW MATERIALS	% By Weight
MIRANOL C2M Conc. N.P.	20.0
MIRANOL 2MHT Modified	10.0
MIRATAINE COB	8.0
Cedemide CX	2.0
Kessco PEG 6000 Distearate	1.0
Water	59.0

## Procedure:

Mix all ingredients and heat until uniform. Adjust pH to 7.0 with citric acid.

Solids: 20.8%, viscosity: 3800 cps.

SKIN CLEANSER

RAW MATERIALS	% By Weight
MIRANOL C2M Conc., N.P.	20.0
MIRATAINE COB	3.5
Witconate AOS, 40%	8.0
Cedepon LA 30 HV	5.0
Propylene Glycol	2.0
Cedemide CX	1.0
Water	60.5

## Procedure:

Blend all ingredients and adjust pH to 6.5 with citric acid.

Solids: 18.9%, viscosity: 3800 cps.

CONDITIONING FACIAL AND BODY CLEANSER

RAW MATERIALS	% By Weight
MIRANOL H2M Conc.	25.0
MIRATAINE COB	10.0
Cedepal SN 303	10.0
Sodium Lauroyl Sarcosinate	8.0
Cedemide CX	2.0
Propylene Glycol	1.0
Water	44.0

## Procedure:

Blend all ingredients and adjust pH to 7.0 with citric acid.

Solids: 24.4%, viscosity: 3400 cps.

SOURCE: Miranol Inc.: MIRANOL Products for Cosmetics and Toiletries: Suggested Formulations