

COMPLEXION TONING MASK, GEL

RAW MATERIALS	% By Weight
A.	
Ethanol 96%	15.0
Water	50.0
Carbopol 940	1.0
B.	
Water	13.1
Soluvit	3.0
Glycerin	4.0
SOFTIGEN 767	10.0
Hygroplex HHG	3.0
Triethanolamine	0.6
Allantoin	0.1
Preservative	q.s.
Instead of Soluvit the following can be incorporated:	
1. Esculin	3.0
2. Collagen CLR	3.0
3. Hamamelis dist. colourless spec. (witch hazel)	3.0
4. Placentaliqoid	3.0
5. Camphor (0.2 g dissolved in 2.8 g Ethanol)	3.0

Preparation:

A is mixed at room temperature.

B is mixed at room temperature and then stirred into A.

Perfume can also be added.

Formulation 6.2.3

AEROSOL MOISTURIZING FACIAL MASK

RAW MATERIALS	% By Weight
A.	
Emulgator E 2149	3.0
MIGLYOL 812 Neutral Oil	10.0
Arkopal N 100	1.0
B.	
Tego Betain L7	2.0
Sorbitol (70%)	3.0
Allantoin	0.2
Orotic acid, anhydrous	0.2
Hygroplex HHG	5.0
Water	75.6
Preservative	q.s.
C.	
Perfume	q.s.

Preparation:

A and B are heated to 70C. B is emulsified into A, C is added to the emulsion, stirring continuously until cool.

Formulation 6.2.5

SOURCE: Dynamit Nobel: Cosmetic Formulas: Formulations