

ROLL-ON ANTIPERSPIRANT

INGREDIENTS:	% By Weight
A.	
Water	Q.S.
Veegum K	1.0
B.	
Propylene Glycol	2.0
Mineral Oil	5.0
Solulan 98	2.0
Stearyl Alcohol	1.5
Anacel 165	4.0
Butylparaben	0.05
C.	
Chlorohydrol 50%	36.0
D.	
Benzethonium Chloride	0.1
Benzyl Alcohol	1.0
E.	
ALOE VERAGEL 1:1	10.0
F.	
Fragrance	Q.S.

Procedure:

Heat water of Phase A to 90C. Disperse the Veegum. When completely hydrated, add Phase B to A at 85C. Mix until cooled to 50C, slowly add Phase C. Add Phase D, E and F in order, while slowing mixing.

SOURCE: Dr. Madis Laboratories Inc.: Formulating with Aloe Vera: Suggested Formulation

PRESSED POWDER DRY ANTIPERSPIRANT

RAW MATERIALS	% By Weight
SCHERCOMID AME-70	4.75
Zinc Ricinoleate	0.90
Aluminum Chlorohydrate	19.0
Avicel PH 105	75.35
Perfume	qs

Pre-mix all powders and then add the SCHERCOMID AME-70 and perfume with spinbar of PK blender. Then press.

SOURCE: Scher Chemicals, Inc.: Formulation SG-0209