

MOISTURIZING LIP GLOSS

RAW MATERIALS	% By Weight
70% Pearl (in Castor Oil)	5.0
35% D.C. Red #7 (in Castor Oil)	5.0
Emerwax 1253	8.5
Candelilla Wax	3.0
Lanolin	11.0
Alcolec 4135	2.0
"Ultra" grade Emulan Mink Oil	52.5
SCHERCOMID AME-70	12.5
Perfume	0.5

This is a W/O absorption base. It provides high sheen to the lips and feels soft and creamy under normal use conditions.

Formulation SG-0207

LIPSTICK

RAW MATERIALS	% By Weight
Part A:	
Lanolin	10.0
Petrolatum	5.0
SCHERCEMOL ML	10.0
Sesame Oil	19.2
Ozokerite No. 4	7.5
Beeswax	7.5
Carnauba	5.0
SCHERCOMID AME-70	5.0
Preservative	qs
Part B:	
Color Pigments	1.6
Bismuth Oxychloride (and) Castor Oil	14.0
SCHERCEMOL DO	15.0

Grind color in phase B. Add pearl after grinding. Melt phase A to 80C and add B to A at 70-80C.

Formulation SG-0206

SOURCE: Scher Chemicals, Inc.: SCHERCOMID AME-70: Suggested Formulations