

SUSPENSION ROLL-ON

RAW MATERIALS	% By Weight
REZAL 36GP or REZAL 67P	20.0
Bentone 38	2.7
SDA 40, 95%	2.7
Volatile Silicone 7158	74.6
Perfume	q.s.

Procedure:

1. Using an Eppenbach Homomixer at 2700 rpm, disperse the Bentone 38 in the Silicone for 20 minutes, keeping the temperature between 25-30C.
2. Add a premix of the Alcohol and Perfume and mix for 5 minutes.
3. Add the REZAL 36GP or 67P and mix until homogeneous (approx. 20 minutes).

SOURCE: Reheis Inc: REZAL Aluminum Zirconium Chlorohydrate
Complexes Super Dry Actives: Formula

SUSPENSION ROLL-ON

RAW MATERIALS	% By Weight
REZAL 36GP Superultrafine	20.0
Bentone 38	1.8
SDA 40, 95%	1.8
Volatile Silicone 7158	76.4
Fragrance	q.s.

Procedure:

1. Using an Eppenbach Homomixer at 2700 rpm, disperse the Bentone 38 in the Silicone for 20 minutes, keeping the temperature between 25-30C.
2. Add a premix of the Alcohol and Perfume and mix for 5 minutes.
3. Add the REZAL 36GP Superultrafine and mix until homogeneous (approximately 20 minutes).

SOURCE: Reheis Inc.: REZAL Aluminum Zirconium Chlorohydrate
Complexes Super Dry Actives: Formula