

WATERPROOF MAKE-UP

RAW MATERIALS	% By Weight
A.	
Silicone Oil AR 200	30.0
Stearic acid	7.0
Cetyl alcohol	2.0
SOFTIGEN 767	4.0
B.	
Water	ad 100.0
Preservative	q.s.
C.	
Triethanolamine	0.6
D.	
Pigments:	
Zinc oxide	3.0
Talcum	3.0
Titanium dioxide	3.0
Iron oxide brown PC 1218	0.5
Cosmetic Sienna Oxide CS-10051	0.5
E.	
Perfume	q.s.

## Preparation:

A is melted and brought to 75-80C.

B is also heated.

After heating up, C is added to B, then B is emulsified into A.

The pigments are pulverized and then the cream is portionwise stirred to the pigments.

Perfuming is done below 40C.

SOURCE: Dynamit Nobel: Cosmetic Formulas: Formulation 2.1.3

UNDER MAKE-UP FOUNDATION

RAW MATERIALS	% By Weight
Part A:	
Carbopol 941	0.5
Water	61.5
Part B:	
Lanogene	5.0
Mink Oil	3.5
MAZER MACOL 125	3.0
Part C:	
TEA	0.5
Ethanol, SDA 40, 95%	26.0

SOURCE: Mazer Chemicals, Inc.: Cosmetic Formularies T-20D:  
Formulation 17