

LIP CARE STICK

RAW MATERIALS	% By Weight
SOFTISAN 100	20.0
DYNACERIN 660	8.0
MIGLYOL 812 Neutral Oil	6.0
SOFTISAN 649	5.0
Hard paraffin	5.0
Cetyl alcohol	5.0
Carnaubawax	1.0
White beeswax	20.0
White soft paraffin	30.0
Antioxidants	q.s.
Perfume oil	q.s.

## Preparation:

All ingredients are melted, stirred until cold to a creamy consistency, perfumed and poured into moulds.

SOURCE: Dynamit Nobel: Cosmetic Formulas: Formulation 1.5.1

LIPSTICK

RAW MATERIALS	% By Weight
ACETULAN	5.0
SOLULAN PB-2	5.0
Isopropyl palmitate	25.0
Cab-O-Sil H5	1.0
Pigments	10.0
Beeswax, USP	6.0
Candelilla wax	7.0
Ozokerite	5.0
Carnauba wax	3.0
Myristyl lactate	5.0
Castor oil	28.0
Perfume and Preservative	q.s.

Glossy, sheer nongreasy payoff

## Procedure:

Grind the pigments in a blend of ACETULAN, SOLULAN PB-2 and isopropyl palmitate. Heat the remaining ingredients to 85-90C while mixing slowly. Add the pigment concentrate and continue slow mixing at 85-90C until uniform and free of air. Cool to 75C and pour into molds.

SOURCE: Amerchol Corp.: ACETULAN acetylated lanolin alcohols: Suggested Formulation