

ROLL-ON LIP GLOSS (14D)

RAW MATERIALS	% By Weight
LANTROL 1673 Lanolin Oil	55.0-65.0
Indopol H-100	25.0
Fragrance	5.0-10.0
EMEREST 2384 Propylene Glycol Isostearate	0.0-10.0

This formulation yields an excellent moisturizing lip product which is easy to apply in roll-on form. By varying the amounts as shown, an optimum formulation can be achieved for the desired results.

Procedure:

Add all ingredients in order with mixing until homogeneous. The use of EMEREST 2384 is recommended only for fragrances which are not soluble.

SUPER GLOSS LIP POT (2244-114-01)

RAW MATERIALS	% By Weight
LANTROL 1673 Lanolin Oil	20.0
PROPOXYOL 1695 PPG-5 Lanolin Wax	47.5
Bentone Gel LANTROL	20.0
Multiwax 180M	3.5
Super Pearl	2.5
20% D&C Red #6 Barium Lake milled in EMEREST 2452	
Polyglyceryl-3 Diisostearate	5.0
Perfume	1.5

This lip pot preparation features a smooth and creamy consistency, thus providing excellent coverage.

Procedure:

Weigh all ingredients except perfume and heat to 85-90C. Mix thoroughly to cool to 65-70C. Perfume and package.

LIP POMADE (2244-105-01)

RAW MATERIALS	% By Weight
LANTROL 1673 Lanolin Oil	10.0
EMEREST 1723 Isopropyl Lanolate	35.5
CLEARLAN 1650 Lanolin	8.0
NIMLESTEROL 1732 Liquid Absorption Base	15.0
Ozokerite, 180F	15.0
Mineral oil (70 visc.)	16.5

This formula imparts a smooth feel to the lips, leaving a nongreasy film.

SOURCE: Emery Chemicals: LANTROL Lanolin Oil: Formulations