

MOISTURIZING LIPSTICK

INGREDIENTS	% W/W
Phase A:	
Ross White Ozokerite Wax #1544 (Ozokerite)	3.00
Ross Refined Candelilla Wax (Candelilla Wax)	8.00
Ross Refined #1 Yellow Carnauba Wax (Carnauba)	3.00
Ross White Beeswax (Beeswax)	2.00
CERAPHYL 50-S (Myristyl Lactate)	5.00
CERAPHYL 375 (Isostearyl Neopentanoate)	7.60
Crystal Crown (Castor Oil)	30.40
Penreco 7 (Mineral Oil)	10.00
Lantrol 1674 (Lanolin Oil)	5.00
Propylparaben	0.15
Antioxidant	0.05
Phase B:	
#6905 D&C Orange #5-Zr. Lake (D&C Orange No. 5 Zirconium Lake)	4.50
CERAPHYL 847 (Octyldodecyl Stearoyl Stearate)	10.50
Phase C:	
#6627 D&C Red #27-Zr. Lake (D&C Red No. 27 Zirconium Lake)	0.76
CERAPHYL 847 (Octyldodecyl Stearoyl Stearate)	1.14
Phase D:	
FD&C Blue #1 Al. Lake in Castor Oil	1.60
Phase E:	
LUSTRA-PEARL GLOSS (Mica (and) Titanium Dioxide)	5.50
LUSTRA-PEARL GOLD (Mica (and) Titanium Dioxide (and) Iron Oxide)	1.50
Phase F:	
Fragrance	0.30
	100.00

Procedure:

Prepare Phase B and Phase C using two passes over a three roll mill at room temperature. Combine Phase A and heat to 85C while stirring until melted clear and homogeneous. Cool to 75C and add Phase B, Phase C, Phase D and Phase E to it and after each addition mix thoroughly. Cool to just above congealing point. Mix Phase F and pour into molds.

SOURCE: Van Dyk & Co., Inc.: Make-Up Formulary: Formulation #P100-49