

GEL BLUSHER

INGREDIENTS	% W/W
Phase A:	
Carbopol 934 (2% Soln.) (Carbomer-934)	50.00
Propylene Glycol	15.00
Brij 35 SP (Laureth-23)	2.00
CERAPHYL 41 (C12-15 Alcohol Lactate)	10.00
Phase B:	
SPECTRA-PEARL MTW (Mica (and) Titanium Dioxide (and) Carmine)	6.67
PEARL-GLO UVR (Bismuth Oxychloride)	3.33
Titanium Dioxide #3328	3.33
#7051 Cosmetic Iron Red	1.67
Phase C:	
Triethanolamine (85%)	1.40
Phase D:	
Germaben II (Propylene Glycol (and) Diazolidinyl Urea (and) Methylparaben (and) Propylparaben)	1.00
SD Alcohol 40	5.60

## Procedure:

Combine Phase A and heat to 70C to melt Brij. Premix Phase B and slowly add to Phase A. Add Phase C. Cool to 45C and add Germaben, then Alcohol. Cool to room temperature.

Formulation #F109-22-2

STICK BLUSH

INGREDIENTS	%W/W
Phase A:	
Syncrowax HGL-C (C18-36 Acid Triglyceride)	8.00
Syncrowax ERL-C (C18-36 Acid Glycol Ester)	8.00
Paraffin 143/148	2.00
Siloxane SWS-03314 (Cyclomethicone)	48.85
CERAPHYL 41 (C12-15 Alcohols Lactate)	10.00
Tenox 4 (Corn Oil (and) BHA (and) BHT)	0.05
Stearyl Alcohol	2.00
Phase B:	
Pigment Blend:	
141 Talc	5.00
PEARL-GLO UVR (Bismuth Oxychloride)	10.40
#7051 Cosmetic Iron Oxide Red	0.08
SPECTRA-PEARL MTW (Mica (and) Iron Oxide (and) Titanium Dioxide)	5.52
Methylparaben	0.10

Formulation #F112-45-1

SOURCE: Van Dyk & Co., Inc.: Make-Up Formulary: Formulations