

studies. These most recent examples demonstrate the feasibility of BSA as a localized anti-cancer therapy that can be used alone or in combination with other methodologies to improve the prognosis of the patients by enhancing the efficacy of the treatment, while minimizing the typical side effects of anti-cancer drugs. We believe that the next few years will transform the generated knowledge in efficient diagnostic tools and therapies and thus, will generate the expected social impact.

Acknowledgement

This work was supported by the European Research Council grant agreement ERC-2012-ADG 20120216-321266—project ComplexiTE. IP acknowledges the Portuguese Foundation for Science and Technology (IF/00032/2013). YMA and RVU would like to thank the BBSRC (BB/K007513/1) for funding.

References

- Bremmer, S.C., J. Chen, A.J. McNeil and M.B. Soellner. 2012. A general method for detecting protease activity via gelation and its application to artificial clotting. *Chem. Commun.* 48(44): 5482–5484.
- Cai, Y., J. Zhan, H. Shen, D. Mao, S. Ji, R. Liu et al. 2016. Optimized ratiometric fluorescent probes by peptide self-assembly. *Anal. Chem.* 88(1): 740–745.
- Cai, Y.B., Y. Shi, H.M. Wang, J.Y. Wang, D. Ding, L. Wang et al. 2014. Environment-sensitive fluorescent supramolecular nanofibers for imaging applications. *Anal. Chem.* 86(4): 2193–2199.
- Dong, L., Q.Q. Miao, Z.J. Hai, Y. Yuan and G.L. Liang. 2015. Enzymatic hydrogelation-induced fluorescence turn-off for sensing alkaline phosphatase *in vitro* and in living cells. *Anal. Chem.* 87(13): 6475–6478.
- Du, X.W., J. Zhou and B. Xu. 2015a. Ectoenzyme switches the surface of magnetic nanoparticles for selective binding of cancer cells. *J. Colloid. Interf. Sci.* 447: 273–277.
- Du, X.W., J. Zhou, J. Shi and B. Xu. 2015b. Supramolecular hydrogelators and hydrogels: from soft matter to molecular biomaterials. *Chem. Rev.* 115(24): 13165–13307.
- Gao, J., W. Zheng, D. Kong and Z. Yang. 2011. Dual enzymes regulate the molecular self-assembly of tetra-peptide derivatives. *Soft Matter.* 7(21): 10443–10448.
- Gao, Y., Y. Kuang, Z.F. Guo, Z.H. Guo, L.J. Krauss and B. Xu. 2009. Enzyme-instructed molecular self-assembly confers nanofibers and a supramolecular hydrogel of taxol derivative. *J. Am. Chem. Soc.* 131(38): 13576–13577.
- Gao, Y., J.F. Shi, D. Yuan and B. Xu. 2012. Imaging enzyme-triggered self-assembly of small molecules inside live cells. *Nat. Commun.* 3: 1033.
- Gao, Y., C. Berciu, Y. Kuang, J.F. Shi, D. Nicastro and B. Xu. 2013a. Probing nanoscale self-assembly of nonfluorescent small molecules inside live mammalian cells. *ACS Nano.* 7(10): 9055–9063.
- Gao, Y., Y. Kuang, X.W. Du, J. Zhou, P. Chandran, F. Horkay et al. 2013b. Imaging self-assembly dependent spatial distribution of small molecules in a cellular environment. *Langmuir.* 29(49): 15191–15200.
- Hirst, A.R., S. Roy, M. Arora, A.K. Das, N. Hodson, P. Murray et al. 2010. Biocatalytic induction of supramolecular order. *Nat. Chem.* 2(12): 1089–1094.
- Huang, P., Y. Gao, J. Lin, H. Hu, H.S. Liao, X.F. Yan et al. 2015. Tumor-specific formation of enzyme-instructed supramolecular self-assemblies as cancer theranostics. *ACS Nano.* 9(10): 9517–9527.
- Julien, O., M. Kampmann, M.C. Bassik, J.A. Zorn, V.J. Venditto, K. Shimbo et al. 2014. Unraveling the mechanism of cell death induced by chemical fibrils. *Nat. Chem. Biol.* 10(11): 969–976.
- Kalafatovic, D., M. Nobis, N. Javid, P.W.J.M. Frederix, K.I. Anderson, B.R. Saunders et al. 2015. MMP-9 triggered micelle-to-fibre transitions for slow release of doxorubicin. *Biomater. Sci.* 3(2): 246–249.
- Kim, J.-K., J. Anderson, H.-W. Jun, M.A. Repka and S. Jo. 2009. Self-Assembling peptide amphiphile-based nanofiber gel for bioresponsive cisplatin delivery. *Mol. Pharm.* 6(3): 978–985.
- Kiyonaka, S., K. Sada, I. Yoshimura, S. Shinkai, N. Kato and I. Hamachi. 2004. Semi-wet peptide/protein array using supramolecular hydrogel. *Nat. Mater.* 3(1): 58–64.