

References

1. Huebsch, N. and Mooney, D.J., Inspiration and application in the evolution of biomaterials. *Nature*, 462, 426–432, 2009.
2. Williams, D.F., On the nature of biomaterials. *Biomaterials*, 30, 5897–5909, 2009.
3. Gombotz, W.R. and Wee, S.F., Protein release from alginate matrices. *Adv. Drug Delivery Rev.*, 31, 267–285, 1998.
4. Langer, R. and Vacanti, J.P., Tissue engineering. *Science*, 260, 920–926, 1993.
5. Lee, K.Y. and Mooney, D.J., Hydrogels for tissue engineering. *Chem. Rev.*, 101, 1869–1879, 2001.
6. Smidsrod, O. and Skjak-Bræk, G., Alginate as immobilization matrix for cells. *Trend Biotechnol.*, 8, 71–78, 1990.
7. Rinaudo, M., Main properties and current applications of some polysaccharides as biomaterials. *Polym. Int.*, 57, 397–430, 2008.
8. Qin, Y., Alginate fibers: An overview of the production processes and applications in wound management. *Polym. Int.*, 57, 171–180, 2008.
9. Remminghorst, U. and Rehm, B.H.A., Bacterial alginates: From biosynthesis to applications. *Biotechnol. Lett.*, 28, 1701–1712, 2006.
10. Thu, H.-E., Zulfakar, M.H., Ng, S.-F., Alginate based bilayer hydrocolloid films as potential slow-release modern wound dressing. *Int. J. Pharm.*, 434, 375, 2012.
11. Tonnesen, H.H. and Karlsen, J., Alginate in drug delivery systems. *Drug Dev. Ind. Pharm.*, 28, 621–630, 2002.
12. Hay, I.D., Rehman, Z.U., Ghafoor, A., Rehm, B.H.A., Bacterial biosynthesis of alginates. *J. Chem. Technol. Biotechnol.*, 85, 752–759, 2010.
13. Rinaudo, M., On the abnormal exponent's a_n and a_D in Mark-Houwink type equations for wormlike chain polysaccharides. *Polym. Bull.*, 27, 585–589, 1992.
14. LeRoux, M.A., Guilak, F., Setton, L.A., Compressive and shear properties of alginate gel: Effects of sodium ions and alginate concentration. *J. Biomed. Mater. Res.*, 47, 46–53, 1999.
15. Kong, H.J., Smith, M.K., Mooney, D.J., Designing alginate hydrogels to maintain viability of immobilized cells. *Biomaterials*, 24, 4023–4029, 2003.
16. Kong, H.J., Lee, K.Y., Mooney, D.J., Decoupling the dependence of rheological/mechanical properties of hydrogels from solids concentration. *Polymer*, 43, 6239–6246, 2002.
17. Otterlei, M., Ostgaard, K., Skjakbraek, G., Smidsrod, O., Soonshiong, P., Espevik, T., Induction of cytokine production from human monocytes stimulated with alginate. *J. Immunother.*, 10, 286–291, 1991.
18. Zimmermann, U., Klock, G., Federlin, K., Haning, K., Kowaslski, M., Bretzel, R.G., Horcher, A., Entenmann, H., Siebers, U., Zekorn, T., Production of mitogen contamination free alginates with variable ratios of mannuronic to guluronic acid by free flow electrophoresis. *Electrophoresis*, 13, 269–274, 1992.