

[118] are possibly released from breaking down alginate gels [119] by similar mechanism. When alginate hydrogels break down, cells should migrate out or be released. There are a number of studies of cell relocation in different alginate gels (nanoporous) in which relocation was found; however, it was not as quantitative as observed [120]. The amount of cells relocating externally as a role of the RGD appearance in alginate gels (macroporous) and porosity has been quantified [117, 121, 122].

References

1. Gombotz, W.R. and Wee, S.F., Protein release from alginate matrices. *Adv. Drug Deliv. Rev.*, 31, 267–85, 1998.
2. Langer, R. and Vacanti, J.P., Tissue engineering. *Science*, 260, 920–6, 1993.
3. Lee, K.Y. and Mooney, D.J., Hydrogels for tissue engineering. *Chem. Rev.*, 101, 1869–79, 2001.
4. Smidsrod, O. and Skjak-Bræk, G., Alginate as immobilization matrix for cells. *Trend. Biotechnol.*, 8, 71–8, 1990.
5. D.E. Clark and H.C. Green, Alginic acid and process of making same. *US. Patent*, 2036922, 1936.
6. Rinaudo, M., Main properties and current applications of some polysaccharides as biomaterials. *Polym. Int.*, 57, 397–430, 2008.
7. Remminghorst, U. and Rehm, B.H.A., Bacterial alginates: From biosynthesis to applications. *Biotechnol. Lett.*, 28, 1701–12, 2006.
8. Haug, A., Fractionation of alginic acid. *Acta. Chem. Scand.*, 13, 601–3, 1959.
9. Tonnesen, H.H. and Karlsen, J., Alginate in drug delivery systems. *Drug. Dev. Ind. Pharm.*, 28, 621–30, 2002.
10. George, M. and Abraham, T.E., Polyionic hydrocolloids for the intestinal delivery of protein drugs. *J. Control. Release*, 114, 1–14, 2006.
11. MacGregor, E.A. and Greenwood, C.T., *Polymers in Nature in Polysaccharides*, pp. 240–329, Wiley, New York, 1980.
12. Lee, K.Y. and Yuk, S.H., Polymeric protein delivery systems. *Progr. Poly. Sci.*, 32, 669–97, 2007.
13. Morris, E.R., Rees, D.A., Thom, D., Characterization of alginate composition and block structure by circular dichroism. *Carbohydr. Res.*, 81, 305–314, 1980.
14. Grasdalen, H., High field ¹H-NMR spectroscopy of alginate sequential structure and linkage conformations. *Carbohydr. Res.*, 118, 255–260, 1983.
15. Berth, G., Methodical aspects of characterization of alginate and pectate by light scattering and viscometry coupled with GCP. *Carbohydr. Polym.*, 19, 1–9, 1992.
16. Martinsen, A., Skjak-Braek, G., Smidsrod, O., Zanetti, F., Paoletti, S., Comparison of different methods for determination of molecular weight and