

BELATACEPT (Nulojix) Specialized dosing for **organ transplantation**. ▶Serum ♀C
 ▶—\$\$\$\$\$■

CYCLOSPORINE (Sandimmune, Neoral, Gengraf) Specialized dosing for **organ transplantation, RA, and psoriasis**. [Generic/Trade: Microemulsion Caps 25, 100 mg. Generic/Trade: Caps (Sandimmune) 25, 100 mg. Soln (Sandimmune) 100 mg/mL. Microemulsion soln (Neoral, Gengraf) 100 mg/mL.] ▶L ⊗ ♀C ▶—\$\$\$\$\$■

EVEROLIMUS-IMMUNOLOGY (Zortress) Specialized dosing for **organ transplantation**. [Trade: Tabs 0.25, 0.5, 0.75 mg.] ▶L ♀C ▶—\$\$\$\$\$

MYCOPHENOLATE MOFETIL (CellCept, Myfortic) Specialized dosing for **organ transplantation**. [Generic/Trade: Caps 250 mg. Tabs 500 mg. Tabs, extended-release (Myfortic): 180, 360 mg. Trade only (CellCept): Susp 200 mg/mL (160 mL).] ▶? ⊗ ♀D ▶—\$\$■

SIROLIMUS (Rapamune) Specialized dosing for **organ transplantation**. [Generic/Trade: Tabs 0.5, 1, 2 mg. Trade only: Soln 1 mg/mL (60 mL).] ▶L ♀C ▶—\$\$\$\$\$

TACROLIMUS (Astagraf XL, Hecoria, Prograf, FK 506, Envarsus XR, *Advagraf) Specialized dosing for **organ transplantation**. [Generic/Trade: Caps 0.5, 1, 5 mg. Trade only: Extended-release caps (Astagraf XL) 0.5, 1, 5 mg. (Envarsus XR) 0.75, 1, 4 mg.] ▶L ⊗ ♀C ▶—\$\$\$\$\$

Other

TUBERCULIN PPD (Aplisol, Tubersol, Mantoux, PPD) 5 tuberculin units (0.1 mL) intradermally, read 48 to 72 h later. Consider two-step testing in those who are going to be retested periodically (e.g., health care workers, nursing home residents). ▶L ♀C ▶+ \$