

7 days (100 mg) or 3 days (400 mg) or once only (1200 mg). [OTC Generic/Trade: 2% vaginal cream in 45 g with 1 applicator or 7 disposable applicators. Vaginal supp 100 mg (7). OTC Trade only: Vaginal supp 400 mg (3), 1200 mg (1) with applicator. Generic/Trade: 4% vaginal cream in 25 g tubes or 3 prefilled applicators. Some in combination packs with 2% miconazole cream for external use.] ▶LK ♀/0/0 ▶+ \$

**TERCONAZOLE (Terazol)** **Vulvovaginal candidiasis:** 1 applicatorful cream at bedtime for 7 days (0.4%), or 3 days (0.8%), or 80 mg vaginal supp at bedtime for 3 days. [All forms supplied with applicators: Generic/Trade: Vaginal cream 0.4% (Terazol 7) in 45 g tube, 0.8% (Terazol 3) in 20 g tube. Vaginal supp (Terazol 3) 80 mg (#3).] ▶LK ♀X/?/? ▶- \$\$

### Other OB/GYN Agents

**FLIBANSERIN (Addyi)** **Hypoactive sexual desire disorder in premenopausal women:** 1 tab PO at bedtime. REMS program. [Trade: 100mg tab] ▶L CYP3A4, CYP2C19 ♀/?/?/? ▶- ■

**HYDROXYPROGESTERONE CAPROATE (Makena)** Specialized dosing (1 mL IM weekly) to **reduce risk of preterm birth.** [Generic/Trade: 5 mL multi-dose vial (250 mg/mL) in castor oil soln. Single-dose vial 1 mL (250 mg/mL). Trade only: Single-use auto-injector 1.1 mL (275 mg).] ▶L + glucuronidation ♀/0/0 ▶? \$\$\$\$\$

**PAROXETINE MESYLATE (Brisdelle)** **Moderate to severe vasomotor symptoms** associated with menopause: 7.5 mg hs [Generic/Trade: Caps 7.5 mg] ▶LK ♀X/X/XR ▶? \$\$\$\$\$ ■

**PREMESIS-RX (pyridoxine + folic acid + cyanocobalamin + calcium carbonate)** **Pregnancy-induced nausea:** 1 tab PO daily. [Generic only: Tabs 75 mg vitamin B6 (pyridoxine), sustained-release, 12 mcg vitamin B12 (cyanocobalamin), 1 mg folic acid, and 200 mg calcium carbonate.] ▶L ♀/0/0 ▶+ \$\$

**RHO IMMUNE GLOBULIN (HyperRHO S/D, MICRhoGAM, RhoGAM, Rhophylac, WinRho SDF)** **Prevention of hemolytic disease of the newborn if mother Rh- and baby is or might be Rh+:** 300 mcg vial IM to mother at 28 weeks gestation followed by a 2nd dose within 72 h of delivery. Microdose (50 mcg, MICRhoGAM) is appropriate if spontaneous abortion less than 12 weeks gestation. ▶L ♀/0/0 if mother Rh- and baby Rh+ ▶? \$\$\$\$\$